- Abujam SKS, Dakua S, Bakalial B, Saikia AK, Biswas SP and Choudhury P (2011).
 Diversity of Plankton in Maijan Beel, Upper Assam. *Asian J. Exp.Biol. Sci.*, 2(4): 562-568.
- Acharjee B, Dutta A, Choudhury M and Pathak V (1995). Phytoplankton species diversity indices in Dighali beel, Assam, India. *Environment and Ecology*. 13 (3): 660 662
- Agarawal SC (2014). Limnology. APH Publishing Corporation. New Delhi.
- Ahmad U, Parveen S, Hasan T and Bhat BN (2015). Diversity of Aquatic macrophytes of Aligarh, UP India. *Int.J.Curr.Microbiol.App.Sci* 4(4): 494-505
- Ahmad U, Parveen S, Khan AA, Kabir HA, Mola HRA, Ganai AH (2011).Zooplankton population in relation to physico-chemical factors of a sewage fed pond of Aligarh (UP), India. *Biology and Medicine*. 3 (2): 336-341
- Ajyan A and Ajit Kumar KG (2015). On the Seasonal changes in the Surface Water Chemistry of Museum Lake, Thiruvananthapuram, Kerala, India. *Pollution* 2 (2): 103-114.
- Akter S, Bhouyain AM, Azad S and Nasrin D (2016). Influence of physico-chemical factors on the Zooplankton Population of Bostami Pond of Chittagong. *Bangladesh J. Zool.* 44(1): 73-87.
- Alam A and Khan AA (1996). Dynamics of plankton communities in four freshwater lentic ecosystems in relation to varying dominant biota. *Pollut. Res.*, 1: 287-291
- Ali AL (2010). Seasonal variation in physico-chemical properties and zooplankton biomass in Greater Zab River Iraq. Jordan *J. Biol. Sci.* 3, 115–120.

- Ali M, Salam A, Iram S, Zahra T, Bokhari Z and Ali Q K (2005). Studies On Monthly Variations in Biological and Physico-Chemical Parameters of Brackish Water Fish Pond, Muzaffar Garh. *Pakistan Journal of Research* (Science), Bahauddin Zakariya University, Multan, Pakistan. 16 (1): 27-38.
- Ali MM, Mageed AA and Heikal M (2007). Importance of Aquatic Macrophyte for Invertebrate Diversity in Large Subtropical Reservoir. *Limnologica* 37: 155–169
- Anitha G, Chandrsekhar SVA and Kodarkar MS (2005). Limnological studies on Mir Alam Lake, Hyderabad. *Pollution Res.* 24(3): 681-687.
- APHA (2012). Standard Methods for Examination of Water and Waste Water (22nd ed.), American Public Health Association Inc., Washington D.C.
- Arhonditsis GB, Winder M, Michael T, Brett D and Schindler E (2004). Patterns and mechanisms of phytoplankton variability in Lake Washington (USA). Water Research. 38: 4013-4027.
- Ashutosh G, Joshi VP and Sati OP (1993). Physico-chemical characteristics of sewage and its impact on water quality of Alaknanda at Srinagar (Garhwal). J. Ecotox. Env.Mon.3(1): 61 -63.
- Ayoade JO (2000). Climatic factors affecting pollutants in water disposal sites in developing countries in Rogers W'O Okut-Uma *et al.* (ed.). Pollution control and waste management in developing countries. *The Commonwealth Secretarial London*.
- Baba AI and Pandit AK (2014). Species composition diversity and population dynamics of Phytoplankton at Saderkot in Wular lake, Kashmir. *Ecosystem and Ecography*. 4(1): 1 8.
- Bai J, Chen X, Li J, Yang L, Fang H (2011). Changes in the area of inland lakes in arid regions of central Asia during the past 30 years, *Environ. Monit. Assess.*178 (1-4): 247-256.

- Bajpai AK and Agarker MS (1997). Lower plants at high altitudes, I. some plankton from Auli Skiing field. *Ecol.Environ.Conser.* 3: 97-100.
- Baqai IU and Ishrat T (1973). Seasonal fluctuation of fresh water copepods of Keenjhar Lake, Sindh and its correlation with physico-chemical factors. *Pakistan J. Zool.* 5 (2): 165 – 168.
- Barhai A, Das S, Das BK and Kar D (2015). A preliminary survey on the ichthyospecies diversity of Hasila Beel, Urpad Beel, Kumri Beel, Sidli Beel and Seksekia Beel in the Goalpara district of Assam, India. *International Journal* of Advanced Research. 3(6): 678-684.
- Barko JW and Smart RM (1981). Comparative influences of light and temperature on the growth and metabolism of selected submersed freshwater macrophytes, *Ecol. Monogr.* 51: 219-236.
- Barman D, Roy B and Roy S (2015). Seasonal Variation of Physico-Chemical characteristics of Wetlands in the West Garo Hill, Meghalaya, India. *Int. Res. J. Biological Sci.* 4(1): 60-65
- Barthakur M (1986). Weather and Climate of North East India. *North Eastern Geographer*. 18 (1&2): 20 27.
- Barua C and Ahmed I (2014). Plant Diversity of Assam. Assam Science and Technology and Environmental Council, Assam India. 599 pp.
- Baruah I C (1992). "Flora of Kamrup district, Assam" 3 vol. Ph.D. Thesis, G.U. (Unpublished).
- Battish SK (1992). Fresh water Zooplankton of India. Oxford and IBH PublishingCo. Pvt. Ltd. New Delhi, Bombay, Calcutta. 1-213.
- Begum A (1958). A short note on plankton of freshwater ponds of Dacca. *Agriculture Pakistan*. 9: 370-392.
- Bellinger E and Sigee DD (2010). Freshwater Algae: Identification and Use as Bioindicators. 284 pp.

- Bera A, Dutta TK, Patra BC and Sar UK (2014). Physico-chemical Profile of Kangsabati Reservoir, West Bengal, India. International Journal of Advanced Research. 2 (10): 394-403.
- Bhanja D, Ghosh J, Basu A, Kundu G, Ghosh P and Roy S (2014). Dynamics of plankton community in two adjacent unmanaged ponds of West Bengal, India. *Bioscience Discovery*, 5(2): 241-247
- Bharti PK and Niyogi UK (2015). Assessment of pollution in a fresh water Lake at Fisher Island, Larsemann Hills over East America. *Science International*. 3(1).
- Bhat NA, Wanganeo A and Raina R (2015). Variability in Water Quality and Phytoplankton Comunity during Dry and Wet periods in the Tropical wetland, Bhopal, India. "J. Ecosys Ecograph" 5(2): 1-8.
- Bhat SU, Ashok KP and Rizwan M (2010). Limnological investigation of three freshwater springs of Pulwama district- Kashmir Valley. *Recent Research in Science and Technology*. 2(2): 88-94.
- Bhavan PS, Selvi A, Manickam N, Srinivasan V, Santhanam P and Vijayan P (2015).Diversity of zooplankton in a perennial lake at Sulur, Coimbatore, India. *Intr. J. Exten .Res.* 5: 31-44.
- Bhuyan JR and Gupta S (2007). A comparative Hydrobiological study of a few ponds of Barak Valley, Assam and their role as sustainable water resources. *Journal of Environmental Biology*. 28(4): 799-802
- Bor NL (1940). Flora of Assam Vol. V, Govt. of Assam, Shillong.
- Bordoloi R (2014). A comparative study of aquatic macrophytes and its Primary Productivity in the Closed and Open Type Wetlands of Upper Reaches of the Brahmaputra River Basin. J. Bio. Innov 3(2): 103-116.
- Boruah P, Baruah R and Gogoi R (2008). Application of Remote Sensing and GIS
 Techniques for assessing variation in wetland ecosystem: A case study from
 Urpod beel wetland, Assam. *Proc., Nation Seminar on "Wetland and Livelihood"* 299-308.

Bowling L (2009). Fresh water phytoplankton: Diversity and Biology.

- Boyd CE (1971). The limnological role of aquatic macrophytes and their relationship to reservoir management. *Res. Fish Limnol.* 8: 153-166.
- Boyd CE (1981). *Water Quality in Warm Water Fish Ponds*. Craftmaster Printers, Inc. Opelika, Alabama.
- Boyd CE and Tucker CS (1998). "Pond Aquaculture Water Quality Management", *Kluwer Academic Publisher*, London.
- Brobst T (2006). The effect of different levels of nitrate and phosphate on the Macro invertebrate population in different streams. http: www.tjhsst.edu/_ibet/0506/science/t brobst.htm.
- Brraich OS and Kaur R (2015). Phytoplankton Community Structure and Species Diversity of Nangal Wetland, Punjab, India. Int. Res. J. Biological Sci. 4(3): 76-83.
- Brraich OS and Saini SK (2015). Phytoplankton abundance and species diversity in Ranjit Sagar Wetland, Punjab (India). Current World Environment. 10: 215 – 221.
- Carlson RE (1977). A Trophic state index for lakes. Limnol. Oceanog, 22, 361-369.
- Chandra R, Nishadh KA and Azeez PA (2010). Monitoring water quality of Coimbatore Wetlands, Tamil Nadu, India.
- Chandrasekhar SVA (2010). Zooplankton: Pocharam Lake. Zoological Survey of India. Limnological and faunistic studies of Pocharam Lake, Ertland Ecosystem Series, 13: 28 - 36.
- Chandrasekhar SVA and Chatterjee T (2003). On a collection of Cladocera from Dimna and Jublee Park Lakes, Jamshedpur, Jharkhand. *Zoos'Print Journal* 18(4): 1089-1090.
- Chandrasekhar SVA and Rao CAN (2010). Introduction and Limnology: Pocharam Lake. Zoological Survey of India. *Limnological and faunistic studies of Pocharam Lake, Ertland Ecosystem Series*. 13: 1-28.

- Chandrasekhar SVA, Rao CAN and Deepa J (2013). Introduction and Limnology:
 Wyra Lake. Faunistic Studies and Limnological Studies on Wyra Lake,
 Khammam District, Andhra Pradesh. Wetland Ecosystem Series, 16: 1-26. Pbl.
 Zool. Surv. India, Kolkata.
- Chekryzheva TA (2014). Anthropogenic changes in phytoplankton inlakes of the Kenti River System (Republic of Karelia). *WaterResour*. 4: 431–438.
- Cheruvelil KS, Soranno PA, Madsen JD and Roberson MJ (2002). Plant architecture and epiphytic macroinvertebrate communities: The role of an exotic dissected macrophyte. *Journal of the North American Benthological Society*. 21(2): 261–277.
- Choi JY, Kim SK, Jeng KS and Joo GJ (2015). Detecting response patterns of zooplankton to environmental parameters in shallow freshwater wetlands: discovery of the role of macrophytes as microhabitat for epiphytic zooplankton. J. Ecol. Environ. 38(2): pp1-11.
- Choudhary S, Kumar U and Kumar U (2009). Status of phytoplankton in chaurs of Begusarai north Bihar. *Res. Environ. Life Sci.* 2(2): 99-102.
- Choudhury PR, Pandey RA and Bal AS (1998). Macrophytic infestation of water bodies and methods of lake restoration. In: Conservation and management of aquatic resources (Ed.: A Gautam). Daya Publishing House, Delhi. 200-224 pp.
- Choudhury R, Das P and Goswami UC (2013). Abundance of four exotic fish species Cyprinus carpio, Ctenopharyngodon idella, Hypophthalmichthys molitrix and Aristichthys nobilis in the Urpod beel of Goalpara District of Assam. International Journal of Applied Biology and Pharmaceutical Technology. 4(1): 303-307.
- Cole AG (1983). Text Book of Limnology. 3rd edn. CV Marby Co. London. 401pp.
- Cook CDK (1996). *Aquatic plant book*. The Hague. SPB Acadamic Publishing/Backhuys Publishers. 228 pp.

- Dar NA, Pandit AK, Ganai BA (2014). Factors affecting the distribution patterns of aquatic macrophytes. *Limnol. Rev.* 14 (2): 75-81.
- Dave RK, Prakash MM and Dhakad NK (1999). Seasonal trends in abiotic factors of the lentic habitat of Kalika pond, Dhar, *Limnological Research of India*. 157-171.
- Davis CC (1955). The marine and fresh water plankton. *Michigan State Univ. Press*, East Lansing. 562 pp.
- De Stasio BTJ (1993). Diel vertical and horizontal migration by zooplankton population budgets and the diurnal deficit. Bulletin of Marine Science. 53: 44–64.
- Deka U (2015). An ecological investigation of wetlands of Nalbari district, Assam. Ph.D Thesis, Gauhati University.
- Deka U and Sarma SK (2014). Present status of aquatic macrophytes of the wetlands of Nalbari district of Assam, India. *Asian Journal of Plant Science and Research*. 4(3): 67-75
- Deka U and Sarma SK (2015). Ecological studies of Macrophytes of two major
 Wetlands of Nalbari district of Assam, India. *New York Science Journal*.
 8 (1): 45-52.
- Deka SJ, Sarma GC, Baishya R and Deka SP (2010). Phenological study of Macrophytes of some selected wetlands of Goalpara District, Assam, India. *Plant Archives*. 10 (1): 165-170.
- Deshmukh BS (2015). Physico-Chemical Characteristic of Pravara River. International Journal of Research Studies in Biosciences (IJRSB). 3(10): 14-18.
- Desikachary TV (1959). Cyanophyta. ICAR, New Delhi.
- Devi MB, Gupta S and Das T (2016). Plankton community of Lake Baskandi anua, Cachar District, Assam, North East India – An ecological study. *Knowledge* and Management of Aquatic Ecosystems. 1 – 9.

- Dey SC (1981). Studies on the Hydrobiological conditions of some commercial lakes (Beels) of Kamrup district of Assam, their bearing on fish production. *Final Technical Report, North Eastern Council.* 177 pp.
- Dey SC and Kar D (1989). Aquatic macrophytes of Lake Sone in Assam. *Environment* and Ecology. 7(1): 253-254.
- Dhanapathi MVSSS (2000). Taxonomic notes on the Rotifers from India (from 1889 2000). *Indian Association of Aquatic Biologist* (IAAB), Hyderabad.
- Duarte CM and Kalff J (1987). Weight-density relationship in submerged Macrophytes. The importance of light and plant geometry, *Oecologi*a. 72: 612-617.
- Dugel M Kulkoyluoglu O and Kilie M (2008). Species assemblages and habitat preferences of Ostracoda (Crustacea) in Lake Abant (Bolu, Turkey). *Belg.J.Zool*.138: 50-59.
- Dutta A, Chutia P and Das D (1990). Seasonal fluctuations in plankton population of two fresh water pond at Guwahati (Assam). *J.Assam Sc.Soc.* 32(3): 74 76.
- Dutta Gupta S, Gupta S and Gupta A (2004). Euglenoid blooms in the flood plain wetlands of Barak Valley, Assam, North Eastern India. J. Environ. Biol., 25: 369-373
- Dutta T, Deka U and Rabha PK (2014). Diversity of aquatic macrophytes of Kapla beel (wetland) of Barpeta district, Assam, India. Annals of Biological Research. 5 (12): 41-45
- Dutta TK and Patra BC (2013). Biodiversity and seasonal abundance of zooplankton and its relation to physico-chemical parameters of Jamunabundh, Bishnupur, India. *International Journal of Scientific and Research Publication*. 3(8): 1-7.
- DWAMD (1994). Division of Water Ambient Monitoring Database.
- Edmonson WT (1963). *Freshwater biology*, 2nd edn. John Wiley and sons. New York, USA: 1194-1202.

- Egborge ABM (1977). The hydrology and plankton of the Asejire lake. Ph. D Thesis. University of Ibadan. Nigeria, 278 pp.
- Egborge ABM (1981). The composition, seasonal variation and distribution of zooplankton in Lake Asejire, Nigeria. *Revue Zool. Afr.* 95: 136–180
- Ehiagbonare JE and Ogunrinde YO (2010). Physico-chemical analysis of fish pond water in Okada and its environs, Nigeria. *African Journal of Biotechnology*. 9(36): 5922-5928.
- El Serafy SS, Mageed AA and El-Enany HR (2009). Impact of flood water on the distribution of zooplankton in the main chaneel of Lake Nasser, Egypt. J. Egypt. Acad. Soc. Environ. Develop. 10: 121-141.
- Fassett NC (2006). A Manual of Aquatic Plants. Agrobios, India.
- Francis K, Shanmughavel P, Anbazhangan M and Parimelazhagan T (1997). Investigation of pollution and its influence on the biomass of a monsoon fed freshwater pond. *Pollution Res.* 16: 133–137.
- Frankouich TA, Gainer EE, Zieman JC, Wachnick AH (2006). Spatial and temporal distribution of epiphytic diatoms growing on *Thalassic testudinum* Banks ex Konigh.Relationship to waters quality, Hydrobiology 560: 259-271.
- Ganesan L and Khan RA (2008). Studies on the Ecology of Zooplankton in a Floodplain Wetland of West Bengal, India. *Pro.of Taal*.2007: The 12th World Lake Conference: 67-73.
- Garg RK, Rao RJ, Uchchariya D, Shukla G and Saksena DN (2010). Seasonal variations in water quality and major threats to Ramsagar reservoir, India. *African Journal of Environmental Science and Technology*. 4(2): 061-076.
- Gaskill JA (2014). Examining the Effects of p^H and Macrophyte Diversity on Benthic Macroinvertebrate Assemblages in Adirondack Lakes. *Published by State University of New York, College of Environmental Science and Forestry, Syracuse*, NY.

- Gerten D and Adrian (2000). Species –specific changes in the phenology and peak abundance of fresh water copepods in response to warm summers. *Freshwat*. *Biol*.47: 2163-2173.
- Ghantaloo US, Sarwade JP, Gaikwad AF, Kamble SM (2011). Study of zooplankton Diversity of Nira Left Bank Canal Shardanagar Tal Baramati Dist Pune with reference to Physico-Chemical Parameters. *Recent Research in Science and Technology*. 3(3): 125-128
- Ghosh S, Barinova SS and Keshri JP (2012). Diversity and seasonal variation of Phytoplankton community in the Santragachi Lake, West Bengal, India. *A Qatar foundation Academic Journal QScience* Connect .19pp.
- Goma J, Rimet F, Cambra J, Hoffmann L, Ector L (2005). Diatom communities and water quality assessment in Mountain Rivers of the upper Segre basin (La Cerdanya, Oriental Pyrenees). *Hydrobiology* 551. 209–225 pp.
- Gonulol A, Ersanli E and Baytut O (2009). Taxonomical and numerical comparison of epipelic algae from Balik and Uzun lagoon, Turkey. *Journal of Environmental Biology* 30(5): 777-784.
- Gopal BF, Goel PK, Sbarma KP and Trivedy FK (1981). Limnological study of a freshwater reservoir, Jamwa Ramgarh (Jaipur), *Hydrobiologia*, 83(2): 283-294.
- Goswami MM (1985). Limnological Investigations of tectonic lake of Assam, India and their bearing on fish production. Unpublished Ph.D. Thesis GU, Assam, 395 pp.
- Goswami MM and Goswami N (2001). Studies on productivity indicators in Mori beel of Assam. *Tropical Zoology*. 2 & 3: 1-9.
- Goswami N (1997). Studies on the productivity indicators in three different types of wetlands of Assam, India, PhD Thesis, Gauhati University, Assam. 217 pp.
- Goswami N and Goswami MM (2001). Studies on some productivity indicators in Mori beel of Assam, *Tropical Zoology*, 2&3: 1-9.

- Govindom VS and Devika R (1991). Study on the heavy metal profiles of Adeyan River and waste stabilization ponds. *J.Ecotoxicol. Environ.* Merit 1(1): 53 58.
- Green J (2003). Associations of planktonic and periphytic rotifers in a troical swamp, the Okavango Delta, Southern Africa. Hydrobiologia, 490: 197–209.
- Haeckel E (1891). Plankton Studien. Jen. Zeitsch. Naturwiss. Bd. 25.
- Hafiz BZ, Pandit AK and Shah JA (2014). Phytoplankton community of river Jhelum in Kashmir Himalaya. *J. Environ. Sci. Technol.* 7: 326–336.
- Haggerty BP and Mazer SJ (2008). The Phenology Handbook. A guide to phenological monitoring for students, teachers, families, and nature enthusiasts. University of California, Santa Barbara. 111 pp.
- Hann B J (1995). Invertebrates associations with submersed aquatic plants in a prairie wetland. USF (Delta Marsh) Annual report. 30.
- Haque NA and Devi N (2015). Survey of wetland macrophytes of Goalpara district of Assam, India. *Pleione*.9 (1): 119-130.
- Harkal AD, Arak GV, Satish S, Kulkarni MGK (2011). A Report on Microinvertebrates Associated with Littoral Macrophytes in Kagzipura lake. *Recent Research in Science and Technology*. 3(3): 14-16
- Harsha TS and Malammanavar SG (2004). Assessment of phytoplankton density in relation to environmental variables in Gopalaswamy pond at Chitradurga, Karnataka. *J. Environ. Biol.* 25: 113–116
- Hazarika AK and Dutta A (1994). Limnological studies of fresh water pond of Guwahati Assam. *Environ and Ecol.* 12(3): 26 29.
- Hazarika AK and Dutta A (1998). Interrelationship of certain physico-chemical parameters and plankton community of Tasek Lake (Meghalaya). *Environmental and Ecology*. 16(3): 561-567.

- Hedge GR and Bharati SG (1985). Comparative phytoplankton ecology of fresh water ponds and lakes of Dharwad, Karnataka state, India. *Proceedings of the National Symposium on pure and Applied Limnology*. (ed. Adoni A.D. Bull. Bot. Soc., Sagar) 32: 24 29.
- Hensen V (1887). Plankton. Ocean Processes and Ecology.
- Heuch PA, Doall MH and Yen J (2007). Water flow around a fish mimic attracts a parasitic and deters a planktonic copepod. *J. Plankton Res.* 29 (Suppl. 1): i3 i16.
- Heuschele J and Selander E (2014). The Chemical Ecology of Copepods. J. Plankton Res. 36 (4): 895 – 913.
- Horne AG and Goldman CR (1994). Limnology. *Mc Graw Hill International Ed.* USA. 244 248.
- Hosmani SP and Bharathi SG (1980). Limnological studies in Ponds and Lakes in Dharwar Comparative Phytoplankton Ecology of four water bodies. *Phycos* 19: 27-43.
- Huang A, Rao YR and Zhang W (2012). On recent trends in atmospheric and limnological variables in Lake Ontario. *J. Climate*. 25, pp 5807 5816.
- Hudson JJ, Taylor WD and Schindler DW (2000). Phosphate concentration in lakes. *Nature*. 406: 54-56.
- Huet M (1986). Textbook of fish culture. 2nd edn., Fish News Book Ltd. England.
- Hujare MS (2008). Seasonal variation of physico-chemical parameters in the perennial Tank of Talsande, Maharashtra. *Ecotoxical. Environ. Monit.* 18 (3): 233 – 242.
- Hussain BA, Bhattacharyya RC and Dutta A (2015). A Study of the Limnology and Ichthyology of Dhir Beel at Dhubri, Assam, India. *Int. Res. J. Biological Sci.* 4(8): 40-48.

- Hussainy SV (1967). Studies on the limnology and primary production of a tropical lake. *Hydrobiologia*. 30: 335-352.
- Hutchinson GE (1957). A treaties on Limnology. Vol. I. Geography, Physics and Chemistry. John. Wiley & Sons Inc. New York.
- Hutchinson GE (1967). A treaties on Limnology. Vol. II. Introduction to lake biology and the limnoplankton. John. Wiley & Sons Inc. New York.
- Hutchinson GE (1975). A treaties on Limnology. Vol. III: Limnological Botany. John.Wiley & Sons Inc. New York. 660 pp.
- Iqbal M and Kazmi A (1990). Cladocera of Hub Lake with notes on species and size composition. *Surhad J.Agric.*, 6:85-88.
- Islam MR, Bania R, Baruah D, Biswas SP and Gupta A (2012). Hydro-Chemistry of Kulsi River, a tributary of the Brahmaputra, NE India. *European Journal of Experimental Biology*. 2 (6):2451-2455
- Jacob AP, Culver DA, Lanno RP and Voigt IA (2016). Ecological aspects of Fluidene and Copper sulphate in catfish aquaculture ponds. *Environ. Toxicol. Chem* 35(5), 1183 – 1194.
- Jagadeeshappa KC and Kumara V (2013). Influence of physico-chemical parameters on the diversity of plankton species in wetlands of Tiptur taluk, Tumkur dist, Karnataka State, India. *Carib j. Sci.Tech.* 1: 185-193.
- Jena M and Adhikary SP (2007). Chlorococcales (Chlorophyceae) of Eastern and North-eastern States of India. *Algae*. 22(3): 167-183.
- Jhingran VG (1975). Fish and fisheries of India. *Hindusthan Publication Corpn*. India, Delhi, pp 954.
- Jhingran VG, Natarajan AV, Banerjea SM and David A (1969). Methodology on reservoir fisheries investigations in India. Bull.Cent. Inland Fish. Res. Inst, Barrsekpore. 12: 109.
- Johnson MEC (2005). Ionic composition of two fresh water lakes. *Fundamentals of Limnology*. Ed. A Kumar "*APH Publishing Corporation*" New Delhi. pp 82–85.

- Jones JL, Colins AL, Nada PS and Sear DA (2010). The relationship between fire sediment and macrophytes in Rivers. *River Res. Appl.* 20: 111-125.
- Joshi PS (2011). Studies on zooplanktons of Dhanora (Hattipaul) Lake of Buldhana district, Maharashtra. "*Review of Research*" 1 (II): 1-4.
- Kalita TC and Goswami MM (2008). Problems and prospects and wetlands: A case study in five wetlands in Goalpara district Assam. *Proc. of the National Seminar on Wetland and lively-hood.* pp. 35-42.
- Kamath D, Puttaiah ET, Kiran BR and Kumara V (2006). Status of water quality in Ayanur Tank near Shimoga district, Karnataka. *Nat. Env. Poll. Tech.*, 5(2): 257-260.
- Kanjilal UN, Kanjilal PC, Das A and De. RN (1934 40). "Flora of Assam" Vol. I IV, Govt. of Assam, Shillong.
- Kant S and Anand VK (1978). Inter-relationship of phytoplanktons and physical factors on Mansabal lake Jammu. *Indian J. Ecol.*, 134-140.
- Kar S and Kar D (2016). Zooplankton diversity of a Freshwater wetland of Assam. International Journal of Advanced Biotechnology and Research (IJBR). 7 (2): 614-620.
- Khan IA and Khan AA (1985). Physico-chemical condition of Seikha Jheel at Aligarh. *Environment Ecology*, 3(2).
- Khan MA (1987). Observations on zooplankton composition, abundance and periodicity in two flood plain lakes of the Kashmir Himalayan valley. *Acta Hydrochemica Hydrobiologia* 15: 167–174.
- Khan MA and Bhat GH (2000). Biological invasion and 'Red water' phenomenon in lake. Manasbal of Kashmir Valley, India. *Poll. Res.*,19, 113-117.
- Khan RA (2002). The ecology and faunal diversity of two floodplain Ox-bow lakes of South-eastern West Bengal. *Records of the Zoological Survey of India*, *Occasional Paper No.* 195: 1–57.

- Khan RA (2002a). Diversity of freshwater Macro-invertebrate Communities Associated with Macrophytes. *Rec. zool. Surv. India:* 100 (1-2): 211-228.
- Khan RA (2003). Faunal diversity of zooplankton in freshwater wetlands of southeastern West Bengal. *Records of the Zoological Survey of India*, *Occasional Paper No.* 204: 1–107.
- Khanna DR and Bhutiani R (2007). Limnological Modeling A Case Study of River Suswa. *Daya Publishing House*.
- Khanna DR, Bhutiani R and Ruhela M (2013). Fish diversity and their Limnological Status of Ganga River System in Foothills of Garhwal Himalaya, Uttarakhand, India. J. Environ. Res. Develop. 7(4):1374-1380.
- Kirchman DL (1994). The uptake of inorganic nutrients by heterotrophic bacteria. *Microb. Ecol.* 28: 255-271.
- Kodarkar MS and Chandrasekhar SVA (1995). Conservation of lakes. *Indian association of aquatic Biologist*. IAAB publication, Hyderabad 3:1-820".
- Koli KB and Muley DV (2012). Study of zooplankton Diversity and Seasonal variation with special Reference to Physico-Chemical Parameters in Tulshi Reservoir of Kolhapur District (MS), India. *Int. Sci. Res. J.* 4 (1): 38 – 46.
- Korovchinsky NM (1996). How many species of Cladocera are there? *Hydrobiologia*. 321: 191-204.
- Kors A, Vilbaste S, Kairo K, Pall P, Piirsoo K, Truu J and Viik M (2012). Temporal changes in the composition of ma-crophytes communities and environmental factors governing the distribution of aquatic plants in an unregulated lowland river, Emajogi, *Estonia, Boreal Env. Res.* 17: 460-472.
- Koski M, Engstrom J and Viilasalo M (1999). Reproduction and survival of the calanoid copepod *Eurytemora affinis* fed with toxic and nontoxic cyanobacteria. *Mar. Ecol. Prog.* 18 (6) 187 – 197.

- Krzyzanek E (1986). Zoobenthos of the small eheolimnic Wilsa-Czarre Dam Reservoir (South Poland) in the period 1975–1984. *Acta Hydrobiologia*. 28: 414–427.
- Kulkarni A and Mukadam M (2015). Study of Zooplankton diversity in Bhatye Estuary, Ratnagiri, Maharashtra. International Journal of Scientific and Research Publications. 5 (6): 1-3.
- Kulkoyluoglu O (2005). Factors affecting the occurrence of Ostracoda (crustacea) in the Yumrukaya Reedbeds (Blou, Turkey) Wetlands. 25 (1): 224-227.
- Kumar NJI and Oommen C (2011). Phytoplankton composition in relation to hydrochemical properties of tropical community Wetland, Kanewal, Gujarat, India. *Applied Ecology and Environmental Research* 9(3): 279-292.
- Kumar N, Vardia HK and Saxena RR (2007). Seasonal Variation in Physico-chemical Characteristics of Urban Pond, Telibandha, Raipur. *NSL*. 189 – 192 pp.
- Kumar AK (2005). Fundamentals of Limnology. ed. A Kumar "APH Publishing Corporation" New Delhi. 243 pp.
- Lacoul P and Freedman B (2006). Environmental Influences on Aquatic plants in freshwater ecosystems. *Environ, rev.* 14(2): 89-136.
- Lampert W (1993). Ultimate causes of diel vertical migration of zooplankton: New evidence for the predator-avoidance hypothesis. *Arch. Hydrobiol. Beih.* 39: 79-88.
- Lashari KH, Korai AL, Sahato GA and Kazi TG (2009). Limnological Studies of Keenjhar Lake, District, Thatta, Sindh, Pakistan. Pak. J. Anal. Environ. Chem. 10 (1 & 2) 39-47.
- Laskar HS and Gupta S (2009). Phytoplankton diversity and dynamics of Chatla floodplain lake, Barak Valley, Assam, North East India A seasonal study. *J. Environ. Biol.* 30: 1007–1012.
- Lewis J WM (1978). A compositional, phytogeographical and elementary structural analysis of phytoplankton in a tropical lake. *Journal of Ecology*. 66: 213 226.

Likens GE (2010). Plankton of Inland Waters. ISBN: 9780123819949. 412 pp.

- Maberly SC and Madsen TV (2002). Freshwater angiosperm carbon concentrating mechanisms: processes and patterns, Func. *Plant Biol.* 29: 393-405.
- Mageed AA (2005). Effect of some environmental factors on the biodiversity of holozooplankton community in Lake Qarun. *Egyptian J. Aqua. Res.* 3: 230-234.
- Mageed AA (1995). Studies on zooplankton from Lake Nasser, Ph.D. thesis, Faculty of Science, Al-Azhar University, Cairo.
- Mahadev J, Usman TS and Suresha S (2011). Species richness and diversity of chlorophyceae and bacillariophyceae in Cauvery River, Mysore, India. *International Journal of Water Resources and Environmental Engineering*. 3(14): 380-384.
- Manickam N, Sarvana BP, Santhanam P, Chitrarasu P and Ali A (2012). Zooplankton diversity in a perennial freshwater lake. Diversity and Physiological Processes.Ed. Desai PV, Roy R, Goa University. 25-37.
- Manickam NI, Bhavan PS, Santhanam P, Muralisankar T, Srinivasan V,
 Radhakrishnan S, Vijayadevan K, Chitrarasu P and Ali J (2014). Seasonal
 Variations of Zooplankton Diversity in a Perennial Reservoir at Thoppaiyar,
 Dharmapuri District, South India. *Austin J Aquac Mar Biol.* 1(1):1-7.
- Manjare SA, Vhanalakar SA and Muley DV (2010). Analysis of water quality using physico-chemical parameters Tamdalge Tank in Kolhapur district, Maharashtra. *International Journal of Advanced Biotechnology and Research* 1(2): 115-119
- Manna RK and Das AK (2004). Impact of the river Moosi on river Krishna I. Limno-chemistry. *Poll. Res.* 23 (2): 117-124.
- Maruthanayagam C, Sasikumar M and Senthikumar C (2003). Studies on zooplankton population in Thirukkulam pond during summer and rainy seasons. *Nature*, *Environment and Pollution Technology*. 2 (1): 13 – 19.

- Mastrantuono L and Mancinelli T (2005). Littoral invertebrates associated with aquatic plants and bioassessment of ecological status in Lake Bracciano (Central Italy). *Journal of Limnology*. 64(1): 43–53.
- Mathew FM (1975). Limnology and productivity o f Govindagarh lake, Rewa, MP. J. Inland Fish. Soc. India, 7: 16-24.
- Mcfarland DG and Rogers SJ (1998). The Aquatic Macrophyte Seed Bank in Lake Onalaska, Wisconsin. J. Aquat. Plant Manage. 36: 33-39.
- Mercurio AL, Querijero BL and Ching JA (2016). Phytoplankton community in aquaculture and non-aquaculture sites of Taal lake, Batangas, Philippines. *Journal of Experimental Biology and Agricultural Sciences*. 4(1).
- Mir AQ, Pandey GC and Sarwar SG (2005). Impact of Skims Efluent on Water Quality of Anchar Lake, Kashmir. "Fundamentals of Limnology" Ed. A Kumar "APH Publishing Corporation" 44 – 50 pp.
- Mishra KD (1991). Impact of sewage and industrial pollution on physicochemical characteristics of water in River Betwa at Vidisha, Madhya Pradesh, India. *J. Environ. Health*, 25: 288-299.
- Mishra MK, Mishra N and Pandey DN (2013). An assessment of the physico-chemical characteristics of Bhamka Pond, Hanumana, Rewa District, India. *International Journal of Innovative Research in Science, Engineering and Technology*. 2(5): 1781 – 1788.
- Mishra R (1969). Ecology Workbook. Oxford and IBH, Calcutta.
- Mitsch WJ and Gosselink JG (1986). Wetlands. Van Nostrand Reinhold, Newyork. Moribeel of Assam, *Tropical Zoology*. 2&3: 1-9.
- Muhammad A, Salam A, Sumayya I, Tasveer ZB and Qureshi KA (2005). Studies on monthly variation in biological and physico-chemical parameters of brakish water fish pond, Muzassargarh. *Pakistan J of Research* (Sci). 16: 27 – 38.

- Mukhopadhyay SK, Chattopadhyay B, Goswami AR and Chatterjee A (2007). Spatial variations in zooplankton diversity in waters contaminated with composite effluents. *J. Limnol.*, 66(2): 97-106.
- Munawar M (1974). Limnological studies on fresh water ponds of Hyderabad, India. *Biocenase. Ibid*, 45: 1 – 32.
- Murugesan AG and Sukumaran N (1999). Potential utilization of aquatic macrophytes for the treatment of industrial effluents. In: *Limnological Research in India*, *Daya Publishing House*, New Delhi, India, 247-259.
- Murulidhar VN and Murthy VNY (2015). Ecology, Distribution and Diversity of Pytoplankton in Teetha Wetland, Tumakuru District, Karnataka,India. *International Journal of Environment and Pollution Research*.3 (2): 1-12.
- Na EH and Park SS (2006). A hydrodynamic and water quality modelling study of spetial and temporal patterns of phytoplankton growth in a stratified lake with buoyant incoming flow. *Ecological Modelling*. 199 (3): 298 314.
- Nandan SH and Aher NH (2005). Algal community used for assessment of water quality of Haranbaru dam and Mosan River of Maharashtra. *J. Environ. Biol.* 26: 223 227.
- Narayan R, Saxena KK and Chauhan S (2007). Limnological investigations of Texi Temple pond in district Etawah, UP. *Journal of Environmental Biology*. 28(1): 155-157.
- Nasar SAK (1977). Investigation on the seasonal periodicity of zooplankton in a pond in Bhagalpur, India. *Acta Hydrochem Hydrobiol*. 5 : 577-584.
- Needham JG and Needham PR (1986). A guide to the studies of freshwater biology. 5th ed. Holdan-day Inc. Oakland
- Negi RK, Joshi PC and Negi T (2012). Seasonal variation and species composition of phytoplankton in Ganga River and its tributary at Garhwal region, Uttarakhand, India. *Int. J. Environ. Ecol.* Family Urban Stud. 2: 24–30.

- Odum HT (1978). Principles for interfacing wetlands with development. Environmental Quality through Wetlands Utilization, M. Drew, ed.pp 29-56.
- Offem BO, Ayotunde EO, Ikpi GU, Ochang SN and Ada FB (2011). Influence of Seasons on Water Quality, Abundance of Fish and Plankton Species of Ikwori Lake, South Eastern Nigeria. "*Fisheries and Aquaculture Journal*". 1 18.
- Ogbuagu DH and Ayoade AA (2012). Seasonal dynamics in plankton abundance and diversity of a freshwater body in Etche, Nigeria. *Environ. Nat.Resour. Res.* 2: 48-59.
- Onuoha PC, Nwankwo DI and Vyverman W (2010). A checklist of phytoplankton species of Ologe lagoon, Lagos southwestern Nigeria. *Journal of American Science*. 6(9): 297-302.
- Padial AA, Bini LM and Thomaz SM (2008). The study of aquatic macrophytes in Neotropics: a scientometrical view of the main trends and gaps. *Braz. J. Biol.*, 68 (4, Suppl.): 1051-1059.
- Paffenhofer GA and Van Sant KB (1985). The feeding response of a marine planktonic copepod to quantity and quality of particles. *Mar. Ecol. Prog.* 2 (7): 55-65.
- Paka S and Rao AN (1997). Interrelationship of physic-chemical factors of a pond. Journal of Environmental Biology. 18; 67-72
- Paliwal PV and Yadav BR (1976). Irrigation water quality and crop management in the Union Territory of Delhi. *Reports of Water Tech Centre*, IART New Delhi.
- Pallui D and Jha BC (2003). Productivity trends in two flood plain wetland of Bihar. Indian Fisheries Society, Barracpore. 87-94 pp.
- Pareek R, Singh GP and Singh R (2011). Some fresh water diatoms of Galta kund, Jaipur, India Journal of Soil Science and Environmental Management. 2(4): 110-116.

- Parveen S and Mola HRA (2013). Comparison of physico-chemical parameters and zooplankton diversity in two perennial ponds at Aligarh, India. *J Environ Biol.* 34(4): 709-16.
- Patalas K and Salki A (1992). Crustacean plankton in Lake Winmpeg. Variations in space and time as a function of lake morphology, geology and climate. *Can. J. Fish. Aquat. Sci.*, 49: 1035-1059.
- Patra A, Santra KB and Manna CK (2010). Limnological Studies Related to Physico-Chemical Characteristics of Water Santragachi and Jaipur Jheel, WB, India. *our Nature*. 8: 185-203.
- Pattrick R (1977). Ecology of freshwater diatoms-diatom communities. In: Werner, D. (Ed.), In: *The Biology of Diatoms, Botanical Monographs*, 13. University of California Press. 284–332 pp.
- Pavan M, Gowri P and Benarjee G (2016). A Study on Zooplankton Diversity of Bhandam Cheruvu, Warangal, T.S. India. *IJIRSET*. 5(9): 17328-17332.
- Pejler B (1983). Zooplankton indicators of trophy and their food. *Hydro*.1983; 101: 111-114.
- Pennak RW (1978). Freshwater Invertebrates of the United States. *Iohn wiley and Sci. Inc.* NY 803 pp
- Periman H (2014). Turbidity. In the USGS water science school. Retrieved from http//water.usgs.gov/edu/turbidity. Html. Phytoplankton community in the Santragachi Lake, West Bengal, India. A Qatar foundation Academic Journal Q Science Connect. 19 pp.
- Pieczynska E and Ozimek T (1976). Ecological significance of lake macrophytes. *Int.J.Ecol.Envir.Sci.* 2: 115-128.
- Pompeo MLM, Moschini-Carlos V (1996). Seasonal variation in the density of the Macrophyte Scirpus cubensis poepp & kunth (cyperaceae) in the lagoa do Infernao, State of Sao Paulo, Brazil. Lirnnetica. 12 (1): 17-23.

- Porter KG, Sherr BF, Sherr EB, Pace ML and Sanders RW (1985). Protozoans in planktonic food webs. *Journal of Protozoology*. 32: 409 414.
- Pradhan A, Bhaumik P, Das S, Mishra M, Khanam S, Amin Hoque B, Mukherjee I, Thakur AR and Ray Chaudhuri S (2008). Phytoplankton Diversity as Indicator of Water Quality for Fish Cultivation. *American Journal of Environmental Sciences* 4 (4): 406-411.
- Pradhan S, Patnaik L, Raut D and Swain S (2014). Assessment of Plankton Diversity of Mahanadi River at Jobra and Sikharpur, Cuttack. *International Journal of Scientific & Engineering Research*.5(4): 1061-1066
- Prescott G W (1961). *Algae on the Western Great Lakes Area*. Wm. C. Brown Company Publishers. Dubuque, Iowa.
- Prescott GW (1954). The freshwater algae. Wm. e. Brown Co. Publ. Iowa. 348 pp.
- Prescott GW (1984). *The Algae*. A Review Otto Koeltz Sc. Publishers West Germany, 141-153.
- Puttiah ET and Somasekhar RK (1987). Distribution of Euglenoids in lakes of Mysore City. *Phykos.* 26: 39 – 46.
- Rahman S and Hussain AF (2008). A study on the abundance of zooplankton of a culture and non-culture pond of the Rajshahi University campus. *University Journal of Zoology*, Rajshahi University. 27: 35-41.
- Raina HS and Peter T (1999). Cold water fish and fisheries in the Indian Himalayas
 Lakes and Reservoirs, in: *Fish and fisheries at higher altitudes Asia* (Ed., T. Peter) FAO, Fish. Tech. Paper No. 385. Rome: 64 -88 pp.
- Raina R, Kumar P, Sonaullah F and Wanganeo A (2013). Limnological study on a Samrat Ashok Sagar with special reference to zooplankton population. *International Journal of Biodiversity and Conservation*. 5(6): 317-332.
- Rajagopal T, Thangamani A, Sevarkodiyone SP, Sekar M and Archunan G (2010). Zooplankton diversity and physico-chemical conditions in three perennial ponds of Virudhnagar dist. Tamil Nadu. J. Env. Biol. 31: 265 -272.

- Rani R, Gupta BK and Srivastava KBL (2004) Studies on water quality assessment in Satna city (MP): Seasonal parametric variations, *Nature Environment and Pollution Technology*, 3(4): 563 – 565.
- Rasal V, Patil U, Bhot M, Dasgupta S, Pal AK and Lakra WS (2014). Diversity and distribution of Macrophytes in Powai lake Mumbai. *Sahyadri Conservation Series.* 47, ETR 87: 392-396.
- Riis T, Sand-Jensen K and Vestergaard O (2000). Plant communities in lowland Danish streams: species composition and environmental factors, *Aquat. Bot.* 66: 255-272.
- Robert A Johnson BM and Wolter C (2008). The past, present and future role of Limnology in freshwater fisheries science. *Internat. Rev. Hydrobiol.* 93(4-5): 541-549.
- Rolon AS and Maltchik L (2006). Environmental factors as predictors of aquatic macrophyte richness and composition in wetlands of southern Brazil. *Hydrobiologia*. 556: 221–231.
- Rout J and Borah D (2009). Algal Diversity in Chatla Wetland in Cachar District (Southern Assam). Assam University Journal of Science and Technology: Biological Sciences. 4 (I): 46-55.
- Roy K (2013). Qualitative Plankton Diversity of a Fish Culture Pond and a Wild VillagePond of Chhattisgarh, South Central India.GRA - Global Research Analysis. 2 (10): 13-14.
- Saha S (2011). Icthyofaunal diversity in two wetlands of Goalpara District, Assam, with reference to Ecobiology of certain fish species. PhD Thesis GU (Unpublished). 250 pp.
- Saha S and Bordoloi S (2009). Icthyofaunal diversity of two beels of Goalpara District, Assam, India. *Journal of Threatened Taxa*. 1(4): 240-242.
- Saha TK (1991). Role of inorganic phosphate in the phytoplankton density of Hazirabag lake, Hazirabag. *Acta.hydrochiron. hydrobiol.* 19 (2) 175-179.

- Sakuma M, Hanazato T and Nakazato R (2002). Methods for quantitative sampling of epiphytic microinvertebrates in lake vegetation. *Limnology*. 3:115–119.
- Salam A and Parveen S (1996) "Seasonal changes in physicochemical parameters of Dhand Ghazanfar Garh, Pakistan". *Acta Sci.* 6(1): 45-46.
- Salam A, Ali M, Khan BA and Rizvi S (2000). "Seasonal changes in physicochemical parameters of river Chenab Muzaffar Garh, Punjab, Pakistan", J. Bio. Sci. 4: 299 - 301.
- Santiago MF, Silva-Cunha MGG, Neumann-Leitão S, Pereira da Costa KM, Palmeira GCB, Porto Neto F and Nunes FS (2010). Phytoplankton Dynamics in a Highly Eutrophic Estuary in Tropical Brazil. *Brazilian Journal of Oceanography*. 58(3):189-205.
- Sarma D, Das J and Dutta A (2013). Ecology of two Riverine Wetlands of Goalpara District, Assam in Relation to Plankton Productivity. *International Journal of Applied Biology and Pharmaceutical Technology*. 4(4): 219 – 225.
- Sarma SK and Deka U (2014). Quantitative analysis of macrophytes and physicochemical properties of water of two wetlands of Nalbari district of Assam, India. *Annals of Biological Research*. 5 (5): 77-84
- Sarmah BP and Baruah D (2014). Phytoplankton composition in relation to hydrochemical parameters of certain floodplain Riperian welands of river Subansiri of North Eastern India. Advances in Applied Science Res. 5(6): 21 – 30.
- Sarwar SG and Wazir MA (1991). Physico-chemical characteristics of a freshwater pond of Srinagar (Kashmir). *Poll. Res.* 10 (4): 223-227.
- Saud BJ, Chetia M, Verma VK and Kumar D (2012). Eco-hydrobiology with special amphasis on ichthyofaunal diversity of Urpod Wetland of Goalpara, Assam, India. *International Journal of Plant, Animal and Environmental Sciences*. 103 – 109 pp.
- Sawhney N (2008). Biodiversity of river Tawi in the vicinity of Jammu City. Ph.D. Thesis, University of Jammu, Jammu.

- Sayeswara HA (2014). Phytoplankton Species Diversity in Chikkamalappanakere Tank, Shivamogga, Karnataka, India. *Int. J. Life Sc. Bt & Pharm. Res.* 3(4): 89-102.
- Scheffer M and Jeppesen E (2007). Regime Shifts in Shallow Lakes. *Ecosystems*. 10: 1-3.
- Scott DA (1989). A directory of Asian wetland. IUCN, Gland, Switzerland & Cambridge, U.K. 1181 pp.
- Segers H, Santos-Silva EN and Oliveira-Neto AL (1993). New and rare species of Lecane and Lepadella (Rotifera: Lecanidae; Colurellidae) from Brazil. Belg. J. Zool. 123 (2): 113 – 121.
- Selander E, Thor T and Toth GB (2006). Copepods induce paralytic shellfish toxin production in marine dinoflagellates. *Proc. R. Soc. Lond. B* 27 (3): 1673 1680.
- Sendacz S, Kubo E and Cestarolli MA (1985). Limnologia de reservatios do estado do Sao Paulo, Brasil. *VIII Zooplankton*, 145-176.
- Senthilkumar R and Shivakumar K (2008). Studies on Phytoplankton diversity in response to abiotic factors in Veeranam lake in the Cuddalore district of Tamilnadu. J. Environ.Biol. 29: 747 – 752.
- Shanthi R, Bhavan PS, Vijayan P, Radhakrishnan S, Karpagam S (2010). Evaluation of water quality and plankton population in a perennial shallow lake. *Res. Environ Life Sci.* 3:163-168.
- Sharip Z (2011). Interactions among freshwater macrophytes and physical-chemicalbiological processes in Lake Chini, Malaysia.PhD Thesis of the University of Western Australia.
- Sharma A, Ranga MM and Sharma PC (2010). Water Quality Status of Historical Gundolav Lake at Kishangarh as a Primary Data for Sustainable Management. South Asian Journal of Tourism and Heritage 3 (2): 149 – 157.

- Sharma A, Sharma RC and Anthwal A (2007). Monitoring phytoplankton diversity in the hill stream Chandrabhaga in Garhwal Himalayas Life. *Sci.J.*4: 80-84.
- Sharma BK and Sharma S (2001). Biodiversity of Rotifera in some tropical floodplain lakes of the Brahmaputra river basin, Assam (N.E. India). *Hydrobiologia* 446/447: 305–313.
- Sharma BK (1983). The Indian species of the genus Brachionus (Eurotatoria : Monogonota: Brachionidae). *Hydrobiologia*, 104: 3139.
- Sharma BK (1992). Systematics, Distribution and Ecology of Freshwater Rotifer in West Bengal. In: Mishra SR, Saksena DN. (Eds.). *Recent Advances in Aquatic Ecology*. Ashish Publishing House, New Delhi. 14: 231-273.
- Sharma BK (2000). Rotifers from some tropical flood-plain lakes of Assam (NE India) *Tropical Ecology* 41(2): 175-181.
- Sharma BK (2004): Phytoplankton communities of a floodplain lake of the Brahmaputra river basin, Upper Assam. J Ind. Fish Asson. 31: 27-35.
- Sharma BK (2009). Composition, abundance and ecology of phytoplankton communities of Loktak Lake, Manipur, India. *J. Threatened Taxa* **1**(8): 401-410.
- Sharma BK (2010). Phytoplankton Diversity of two Floodplain Lakes (pats) of Manipur, North-eastern India. *Journal of Threatened Taxa* 2(11): 1273-1281.
- Sharma BK (2011). Zooplankton communities of Deepor Beel (a Ramsar Site),
 Assam (N.E. India): Ecology, richness and abundance. *Tropical Ecology* 52(3):
 293-302 International Society for Tropical Ecology.
- Sharma BK and Sharma S (2012). Deepor Beel a Ramsar site of India: an interesting hotspot with its rich Rotifera biodiversity. Acta Zool. Hung. 58(2): 105-120.
- Sharma BK and Sharma S (2014). Northeast India: An important region with a rich biodiversity of Rotifera. *International Review of Hydrobiology*. 99: 20–37.

- Sharma BK, Sharma S and Hussain MD (2000). Species Composition of Zooplankton in a Tropical Floodplain Lake, Assam (N. E. India). *Rec. zool. Surv. India*, 98(Part-3): 85-93.
- Sharma R and Capoor A (2010). Water quality assessment of lake water of Patna Bird Sanctuary with special reference to abiotic and biotic factors. *World Applied Science Journal.* 10 (5): 522 – 524.
- Sharma R, Sharma V, Sharma MS and Verma BK, Modi R and Singh GK (2011). Studies on limnological characteristic, planktonic diversity and Fishes (Species) in Lake Pichhola, Udaipur, Rajasthan (India). Universal Journal of Environmental Research and Technology.1(3): 274 – 285.
- Sharma RC (2014). Biodiversity of upper Ganges: status, stresses and management.
 In: Sinha, R.K., Ahmed, B. (Eds.), Rivers for Life Proceedings of the International Symposium on River Biodiversity: Ganges–Brahmaputra–Meghna River System, Ecosystems for Life, A Bangladesh–India Initiative.
 IUCN, International Union for Conservation of Nature. 15–30 pp.
- Sharma RC, Singh N and Chauhan A (2016). The influence of physico-chemical parameters on Phytoplankton distribution in a head water stream of Garwal Himalayas: A case study: *Egyptian J. of Aquatic Res.* 42: 11 – 21.
- Sharma S and Sharma BK (2008). Zooplankton Diversity in Floodplain lakes of Assam. *Rec. Zool. Surv. India, Occ.* 290: 1- 307.
- Sharma S and Sharma BK (2013). Faunal Diversity of Aquatic Invertebrates of Deepor Beel (a Ramsar site), Assam, North East India. "Wetland Ecosystem Series – 17", 1 – 227. Zoological Survey of India, Kolkata.
- Shukla A and Shukla JP (2013). Phytoplankton productivity of Marhani lake, Basti (UP) in relation to physico-chemical parameters. "The Ecoscan"International Quarterly Journal of Environmental Sciences. 5: 163-167.

- Shukla A, Shukla JP and Mishra M (2012). Physico-chemical parameters in relation to phytoplankton population of Chando, an Oxbow lake Basti (UP). *Life Science Bulletin*. 9 (1): 11 – 17.
- Shyamala R, Shanthi M and Lalitha P (2008). Physico-chemical analysis of Borewell water samples of Telungupalayam area in Coimbatore district, Tamilnadu, India. *E-Journal of Chemistry*. 5 (4): 924-929.
- Singh S (2015). Analysis of Plankton diversity and density with physic-chemical parameters of open pond in Town Deeg (Bharatpur) Rajasthan, India. *Internal Research J. of Biol. Sc.* 4(II): 61 – 69.
- Singh S and Gupta BK (2010). Analysis of physico-chemical parameters of ground water with reference to Town Deeg (Bhratpur) Rajasthan. Proc.of 12th National Conf. of Society of Sc. and Environ. October 9 – 10 / 2010. Vadoclare, Gujrat. 39 pp
- Singh UN and Pandey S (1991). Water quality of stagnant water bodies of North Bihar. *Environ. & Ecol.* 9: 110-11 A.
- Singh Y (1979). Ecological studies on river algae with special reference to Bacillariophyceae Ph.D thesis (unpublished), Lucknow University.
- Sivakumar K and Altaf K (2004). Ecological Indices of Freshwater Copepods and Cladocerans from Dharampuri District, Tamil Nadu. *Zoos' Print Journal* 19 (5): 1466-1468.
- Sivakumar K and Kuruppasamy R (2008). Factors affecting productivity of phytoplankton in a reservoir of Tamilnadu. American Eurasian Journal of Botany. 1(3): 99 – 103.
- Smith VH (1983). Low nitrogen to phosphate ratio favour dominance by blue-green algae in lake Phytoplankton. *Science* 221: 669 671.
- Sondargaard M and Sand-Jensen K (1979). Physico-chemical environment, phytoplankton biomass and production in oligotrophic soft water lake Kalgaard Denmark. *Hydrobiologia*. 63: 241 253.

Sourins A (Ed.) (1978). Phytoplankton manual UNESCO press, Paris. 337 pp.

- Sreenivasan A (1964). Limnological studies and fish yield in three upland lakes of Madras, India, *Limnol. Ocenogr.*, 9(4) : 564-575.
- Sugunan VV (1997). Fisheries management of small bodies in seven countries in Africa, Assia and Latin Ammerica. *FAO Circular No.* 933. Rome. 149 pp.
- Sugunan VV (2000). Ecology and Fishery Management of Reservoirs in India. *Hydrobiologia*, 430: 121 – 147.
- Sumitra M, Sharma R, Sharma V and Sharma MS (2007). Trophic Status of Lake Pichhola in Relation to Physico-chemical Characteristics of its Water. *National symposium on Limnology*. 244-248 pp.
- Surve PR, Ambore NE, Pulle JS (2005). Hydrobiological studies of Kandhar dam water, district Nanded (M.S.), India. J. Ecophysiol. Occupat. Health. 5: 61-63.
- Tas B and Gonulol A (2007). An ecological and taxonomic study on Phytoplankton of a shallow lake, Turkey. *J. Environ. Biol.* 28: 439 445.
- Teegarden GJ (1999). Copepod grazing selection and particle discrimination on the basis of PSP toxin content. *Mar. Ecol. Prog.* 18 (1) 163 176.
- Thakuria P and Sharma BK (2006). Rotifers diversity in a tropical floodplain lake of Lower Assam (NE India), *Proc. Nat. Sem. ZSA Publ.* 32-37 pp.
- Thirupathaiah M, Samatha C and Sammaiah C (2012). Analysis of water quality using physico-chemical parameters in lower manair reservoir of Karimnagar district, Andhra Pradesh. *International Journal of Environmental Sciences* 3(1): 170-180.
- Tiwari A & Chauhan SVS (2006). Seasonal phytoplanktonic diversity of Kitham Lake, *Agra. J. Environ. Biol*, 27: 35-38
- Tonapi GT (1980). Freshwater animals of India. Oxford and IBH Co. India.
- Tripathi NN, Shukla JP and Mishra M (2008). Seasonal variation in water quality and biological diversity of Sikandrapur reservoir, Basti (U.P). J.Adv. Zool. 29 (2): 109-117.

- Turner JT (2004). The importance of small planktonic copepods and their roles in pelagic marine food webs. *Zool. Stud.* 43 (2): 255 266.
- Umerfaruq MQ and Solanki HA (2015). Physico-chemical parameters of water in Bibi Lake, Ahmedabad, Gujrat, India. J. Pollut. Eff.Cont. 3:34.
- Vadstein O, Olsen Y and Reinertsen H (1993). The role of planktonic bacteria in phosphorus cycling in lakes – Sink and link. *Limnol.Oceanogr.* 38 (7), 1539 – 1544.
- Valecha V and Bhatnagar GP (1988). Seasonal changes of phytoplankton in relation to some physico-chemical factors in lower lake of Bhopal. *Geobios*, 15: 170 – 173.
- Van den Brink FWB, Van Katwijk MM and Van der Velde G (1994). Impact of hydrology on phytoplankton and zooplankton community composition in floodplain lakes along Lower Rhine and Meuse. J. Plankton Res. 16: 351-373.
- Venkatesharaju K, Somashekar RK and Prakash KL (2010). Study of seasonal and spatial variation in surface water quality of Cauvery river stretch in Karnataka. Journal of *Ecology and the Natural Environment* 2(1): 001-009.
- Verma MC, Singh S and Thakur P (2001). Ecology of a Perennial Wetland. An Overview of Limnobiotic status. *J. Environ. Poll.* 8 (1): 53 59.
- Walls M and Ventela AM (1998). Life history variability in response to temperature and Chaoborus exposure in three Daphnia pulex clones condition. J. Fisheries and Aquatic Science 55: 1961-1970.
- Wang X, Wang Yu, Liu L, Shu J, Zhu Y and Zaou J (2013). Phytoplankton and eutrophication degree Assessment of Baiyangdian lake wetland, China. *The Scientific World J.* 436965. 1-8 pp.

Welch PS (1952). Limnology. Mc.Graw Hill Book Co. New York and London: 471pp.

Wetzel RG (1975). Limnology. W. B. Saunders Co. Philadelphia, London, Toronto.

- Wetzel RG (2001). *Limnology*: Lake and River Ecosystems. 3 *ed*. Philadelphia: *Academic Press*. 1006 pp.
- Willem HO, Smet F De and Evens MJC (1972). A hydrobiological study of the polluted River Lieve (Ghent, Belgium). *Hydrobiol*. 39(1): 91-154.
- Yasmin F, Buragohain BB and Medhi KK (2011). Planktonic Desmid Flora of South of the Eastern Himalayas: A systematic approach on Algae – I. *International Journal of Botany*. 7(2): 154 – 161.
- Zutshi DP, Subla BA, Khan MA and Waganeo A (1980). Comparative limnology of nine lake of Jammu and Kashmir, Himalayas, *Hydrobiologia* 72(1-2): 101 112.

http://www.theplantlist.org