## BIBLIOGRAPHY

- Abdaollahanjand. (2005). The 4<sup>th</sup> congress and Music Application in mental and physical Health. *English Abstracts*, (Vol. 6, No. 1, pp. 96 112). Retrived fromhttp://www.musictherapytoday.net
- Arora, M. Alcohol in India. *Global Alcohol Policy Alliance*. The Global special Issue 4, (2001-2002).
- Augustin, P., Hains, A.A. (1996). Effects of music on ambulatory surgery patient's postoperative anxiety. AORN, (Vol. 63, No. 4, pp. 750).
- Bengal, V. (August 2005). Alcohol and Public health. Addiction, (Vol 100, No. 8, pp. 1051-1056).
- Bernardi, L. (2007). Music and the heart. *Circulation* (Vol. 116, No. 24, pp. 139 140).
- Bonder, M., Muftuler, L.T., Nalcioglu, O., Shaw, G.L. (October 2001). FMRI study relevant to the Mozart effect: brain areas involed in spatial- temporal reasoning. *The effect on music on spatial insight and mathematical performance (Neurol Res)*, (Vol. 23, No.7, pp. 683 – 90).
- Burns, D.S. (2001). The effect of the bonny method of guided imagery and music [GIM] on the mood and life quality of cancer patients.*Music Therapy*, (Vol. 38, No. 1, pp. 51-65).
- Cadiagan, M.E., Caruso, N. A. (2001). The effects of music on cardiac patients in bed rest. *Prog cardiovascular Nursing*, (Vol. 16, No. 1, pp 5 – 13).
- Cassileth, B.R., Vickers, A.J., Magill, L.A.(December 2003). Music therapy for mood disturbance during hospitalization for autologous stem cell transplantation.*A* randomized controlled trial cancer, (Vol. 58, No. 98/12, pp 2723 – 2729).

- Cevasco, A.M., Kennedy, R., Generally, N.R. (2005).Comparison of movement-tomusic, rhythmic activities, and competitive games on depression, stress, anxiety, and anger of females in substance abuse rehabilitation.*Music Therapy*, (Vol. 42, No.1, pp.64 – 80).
- Chafin, S., Roy, M., Gerin, W., Christenfeld N. (September 2004). "Music can facilitate blood pressure recovery from stress", *Br J Healyh Psycho*, Vol. 9, No. 13, pp. 393 – 403.
- Chan, M.F., Chan, E.A., Mok, E., Kwan Tse, F.Y. (2009). Effect of music on depression levels and physiological responses in community-based older adults. *International Journal of Mental Health Nursing*. (Vol. 18, 285-294).
- Chou, M.H., Lin, M.F. (2006). Exploring the listening experiences during guided imagery and music therapy of out patients with depression. *Nursing Research*. (Vol. 14, No. 2, pp 93 – 102).
- Clair, A. Music Therapy for a severely regressed person with a probable diagnosis of Alzhemier's disease (Phoenixville: Barcelona Publishers, 1991), pp 571-580.
- Gold, C., Solli, H.P., Krüger, V., Lie, S.A. (2009). Dose-response relationship in music therapy for people with serious mental disorders: systematic review and meta-analysis. *ClinPsychol Rev.* (Vol. 29, No. 3, pp. 193-207).
- Compton, W.M, Thomas, Y.F., Stinson, F.S., Grant, B.F. (2007). Prevalence, correlates, disability, and comorbidity of DSM – IV drug abuse and dependence in the United States: results from the national epidemiologic survey on alcohol and related conditions. *Arch Gen Psychiatry*.(Vol. 64, pp. 566 – 576).
- Darrow, A., Cohen, N., The effect of programmed pitch practice and private instruction on the vocal reproduction accuracy of hearing impaired children,
  K. Brucia (Ed.), Case studies in Music therapy (Phoenixville Barcelona Publishers, (1991), pp. 191 206.

- DeLoach Walworth, D. (2005). Procedural support music therapy in the health care setting: cost effectiveness analysis. Pediatric Nursing.(Vol. 20, No. 4, pp. 276 – 284).
- Dingle, G.A., Gleadhill, L. (2008). Can music therapy engage patients in group cognitive behavior therapy for substance abuse treatment?.*Drug and Alcohol review*. (Vol. 27, No. 2, pp. 190-196).
- Doak, B.A. (2003). Relationships between Adolescent Psychiatric Diagnosis, Music preferences, and Drug preferences. *Music Therapy Perspectives* (Vol. 21. No.2, pp. 67 – 760).
- Felicity, A., Baker. (2007). Music therapy and emotional exploration: exposing substance abuse clients to the experiences of non-drug induced emotions. *The Art in psychotherapy*.(Vol. 34, No. 4, pp. 321 – 330).
- Field, T., Martinez, A., Nawrocki, T., Pickens, J., Fox, N.A., Schanberg, S. (1998). Music shifts frontal EEG in depressed adolescents. *Adolescence*.(Vol. 33, No. 129, pp. 109 – 116).
- Gallant, W., Holosko, M., Gorey, k.M., Lesiuk, T. L.(1997). Music as a form of intervention with out-patient alcoholic couples: A quasi – experimental investigation. *Canadian Journal of Music Therapy*.(Vol. 5. No.1, pp. 67-84).
- Guzzetta, C. music therapy: *Healing the melody of the soul*, in Dossey, L., Keegan, &
  C. Guzzetta (Eds.), Holistic nursing handbook for practice. 4<sup>th</sup> ed. (Sudburg, MA: jones and Bartlett. 2005), pp. 617-640.
- Guetin, S., Sousa B., Voiriot G., Picot, M.C., Herisson C. (2009). The effect of music therapy on mood and anxiety-depression: an observational study in institutionalised patients with traumatic brain injury.*AnnPhysRehabil Medicine* (Vol. 52, No. 1, pp. 30-40).

- GuetinStephane., Portet., Picot, M.C., Defez, C., Pose, C., Blayac, J.P, Touchon, J.(2009). Effects of Music therapy on anxiety and Depression in patients with alzemier's type Dementia: Randomized, controlled study.*Dementia and Geriatric cognitive Disorders*. (Vol. 28, No.1)
- Hammer, S.E. (1996). The effects of guided imagery through music on state and trait anxiety. *Music therapy*. (Vol. 33, pp. 47-70).
- Helgigan, J. (2005). Music therapy in a therapeutic community: Bringing the music to the players. *Music Therapy today*. (Vol. 4, No. 1, pp. 5 22).
- Hernandez-Ruiz, E. (2005). Effects of music therapy on the anxiety levels and sleep patterns of abused women in shelters.*Music Therapy*.(Vol. 42, No. 2, pp. 140 158).
- Hirokawa, E., Ohira, H. (2003). The effects of music listening after a stressful task an immune functions, neuroendocrine responses, and emotional states in college students. *J Music Therapy*.(Vol. 40, No. 3, pp. 189-211).
- Hsu, W.C., Lai, H.L., (October 2004). Effects of music on major depression in psychiatric inpatients. *Arch Psychiatric Nursing*. (Vol. 18, No. 5, pp 193-9).
- Jones, J.D. (2005). A comparison of songwriting and lyric analysis techniques to evoke emotional change in a single session with people who are chemically dependent. *Journal of Music Therapy*. (Vol. 42, No. 2, pp. 94-110).
- Kaplan, Harold Irwin &Sadock, Benjamin James. *Comprehensive textbooks of psychiatry*. 8<sup>th</sup> ed. NewYork: Lippincott Williams & Williams, 2005. pp 1170.
- Khalfa, S., Bella, S.D, Roy, M., Peretz, I., Lupien, S.J. (November 2003). Effects of relaxing music on salivary cortisol level after psychological stress. Ann NY Acad Sci. (Vol. 999, pp. 374-6).

- Knight, W.E., Richard, N.S. (2001). Relaxing music prevents stress-induced increases in subjective anxiety, systolic blood pressure, and heart rate in healthy male and females. *Music Therapy*.(Vol. 38, No. 4, pp. 254-272).
- Lee, O.K, Chung, Y.F, Chan, M.F, Chan, W.M., (2005). Music and its effect on the physiological responses and anxiety levels of patients receiving mechanical ventilation: a pilot study. Journal of Clinical Nursing, 14, 609-620.
- Labbe, E., Schmidt, N., Babin, J., Pharr, M. (December 2007). Music Therapy and Stress.Psychophysiology *Biofeedback* (Vol. 32, No. 3–4, pp. 163-168).
- Lovibond, P.F., &Lovibond, S.H., (1995). The structure of negative emotional states: Comparison of the depression anxiety stress scales (DASS) with Beck Depression and Anxiety Inventories. *Behaviour Research and therapy* (Vol. 33, pp. 335-343).
- Magill-Levreault, L. (1993). Music therapy in pain and symptom management. *Palliatic care*. (Vol. 9, No. 4, pp. 42 48).
- Mahal's. (2000). What works in Alcohol policy?, Evidence from Rural India. *Economic and political (Vol. 35, No. 45*, pp 3964).
- Mammarella, N., Fairfield, B., Cornoldi, C. (2007). Does music enhance cognitive performance in healthy older adults? The Vivaldi effect. *Aging clinExp Res.* (Vol. 9, No. 5, pp. 394-399).
- Marko Punkanen. (December 2007). Music therapy as a part of drug rehabilitation.*Music Therapy Today*.(Vol. VII, No. 3, pp. 334).
- Mei-Feng Lin, Mei-Chi Hsu, Hsiu-Ju Chang, Yu-Yun Hsu, Mei-Hsein Chou, paul Crawford., (March 2010). "Pivotal moments and changes in the Bonny Method of Guided Imagery and Music for patients with depression" Journal of Clinical Nursing, Vol. 19, No. 7-8, pp. 1139 - 1148.

- Micheal, J., DD Krahn, BA Staehler (June 1995). "Development and Initial validation of a Measure of Drinking urges in Abstinent Alcoholics", Vol. 19, No.3.
- Mok, E., Wong, K.Y., (2003). "Effects of music on patient anxiety" *AORN, Vol.* 77 No. 2, pp. 396-397, 401-410.
- Moussavi, S., S Chatterji., E Verdes., A Tandon., V Patel., Ustun B. Depression, chronic diseases, and decrements in health: results from the World Health Surveys. *Lancet*, (Vol. 370, No. 9590, 2007, pp. 851 – 858).
- Myskfa, A., Lindback, M. (2000).Examples of the use of music in clinical medicine.*TidsskrNorLargeform. (Vol. 120, No. 10, pp.* 1186-90).
- Nawasalkar, R.K., Butey, P.K. (2012). Analytical and comparative study on effect of Indian classical music on human body using EEG based signals. *Int J Mod Eng Res.* (Vol. 2, pp 3289-3291).
- O'Kelly, J., Koffman. (2007). Multidisciplinary perspectives of music therapy in adult palliative care.*Palliative Medicine*.(Vol. 21, No. 3, pp. 235 441).
- Park, H. & Pringle- Specht, J.K. (2009). Effect of individualized music on agitation in individuals with dementia who live at home. Journal of Gerontological Nursing. (Vol. 35, pp. 47-55).
- Pelletier, C.L. (2004). The effect of music on decreasing arousal due to stress: A metaanalysis. *Journal of Music Therapy*.(Vol. 41, No. 3, pp. 192 – 214).
- Reinhardt, U., Lange, E. (July 1982). Effects of music on depressed patients.Article in German.Psychiatric Neurol Med Psychol (Leipz).(Vol. 34, No. 7, pp. 414-21).
- Robinson, T.N., Chen HL, Killen JD., (November 1998). Television and music video exposure and risk of adolescent alcohol use.*Pediatrics*. (Vol. 102, No.5).

- Saunders, J.B., Aasland, O.G., Babor, T.F., de la Fuente, J.R., Grant, M. (1993). Development of alcohol use disorders identification test (AUDIT): WHO collaborative project on early detection of persons with harmful alcohol consumption- II. *Addiction*.(Vol. 88, pp. 791-803).
- Schulden, J. D., Yonette F. Thomas, Wilson M. Compton., (2009). "Substance abuse in the United states: findings from recent epidemiologic studies", Curr Psychiatry Rep Vol. 11, pp.353-359.
- Susan, E., Mandel, Suzanne, B., Hanser Michelle Secic., Beth, A. Davis., (2007). Effects of music therapy on health related outcomes in cardiac rehabilitation: A Randomized controlled Trial. *Music therapy.*(Vol. 44, No. 3, pp. 176 – 97).
- Silverman, M.J. (2003). Music therapy and clients who are chemically dependent: A review of literature and pilot study. *The Arts in* psychotherapy (Vol. 30, pp.273 – 81).
- Smith Melissa. (2008). The effects of a simple Music Relaxation Session on State Anxiety levels of Adults in a workplace Environment. *Australian journal of Music Therapy*.(Vol. 19, pp. 45 – 66).
- Stanley., Ramsey, D. (November 15, 2012). Music therapy in physical medicine and rehabilitation. Australian Occupational Therapy Journal. (Vol. 47, pp. 111 – 118)
- Thompson Billie., Susan, R., Andrews. (2000). An historical commentary on the physiological effects of music: Tomatis, Mozart and neuropsychology. Integrative Physiological and Behavioral Science.(Vol. 35, No. 3, pp. 174 – 188).
- Tornek, A., Field, T., Hernandez-Reif, M., Diego, M., Jones, N. (2003). Music effects on EEG in intrusive and withdrawn mothers with depressive symptoms. *Psychiatry.(Vol. 66, pp.234-24).*

- Tuls Halstead, M., Tuls Roscoe, S. (2002). Restoring the spirit at the end oncology nurses. *Clinical journal of oncology Nursing*. (Vol. 6, pp. 332 36).
- Van de Winckel, A., Feys, H., De Weerdt, W., Dom, R. (2004). Cognitive and behavioural effects of music-based exercises in patients with dementia". *Clinical Rehabilitation (Vol. 18*, pp. 253-260).
- Van Middendorp, H., Lumley, M.A., Houtveen, J.H., Jacobs, J.W., Bijlsma, J.W., Geenen, R. (2013). The impact of emotion-related autonomic nervous system responsiveness on pain sensitivity in female patients with fibromyalgia.*Psychosom Med.* (Vol 75, No. 8, pp. 765 – 773).
- Wang, S.M. (2002). Music and preoperative anxiety: a randomized, controlled study. *Aneasthesia analgesia*.(Vol 94, No. 6, pp. 1489 -1494).
- WinkelmanMicheal. (April 2000). Complementary Therapy for Addiction: Drumming out Drugs. American Journal of Public Health.(Vol. 93, No. 4, pp. 647).
- Winkleman, M. (2003). Complementary therapy for addiction: Drumming out drugs. American Journal of public Health. (Vol.93, pp.647-651).
- Zilberman, M., Tavares, H., el-Guebaly, N., (2003). Gender similarities and differences: the prevalence and course of alcohol- and other substance related disorders. *JournalAddictionDiorders*. (Vol. 22, pp. 61-74).

## REFERENCES

- Aldridge, D. (1994). An overview of music therapy research, *Complementary therapist in medicine* (pp. 204 216).
- American Music Therapy Association Information. Files and graphic used. (1998-2009).
- American Music Therapy Association.(2014). Retrieved June 1, 2014 from http://www.musictherapy.org/

- Bradt, J., Dileo, C. (2009). Music for stress and anxiety reduction in coronary heart disease patients. *Cochrane Database of systematic Reeviews*, Art. No. CD006577.DOI:10.1002/14651858.CD006577.
- Canadian Association for Music therapy. (2002) [Serial Online] [Cited 2005 Sep 30] available from http://www.musictherapyca/index.html.
- Christian Nordquist. (2018). What is alcohol abuse disorder, and what is the treatment? Medical News Today. Available from: Ps://www.medicalnewstoday.com
- Even Ruud.Music Therapy- History and cultural contexts. Voices: A world Forum for Music therapy. [Serial online] 2001.Available from http://www.Voices.No/mainissues/ xoices (3) Ruud.Html.
- Cook.Scared Music Therapy in North India.(Vol. 39 ed, VWB, pp. 61–83). ISBN9783861357049. Retrieved 2014-06-14.
- Compton, W.M., Gran,t B.F, Colliver, J.D, Glantz, M.D, Stinson, F.S. (2004). Prevalence of marijuana use disorders in the United States: 1991-1992 and 2001 - 2002, JAMA 291, pp 2114 - 2121.
- Creek Jennifer, Principles, Skills and Practice: Occupational therapy and Mental Health. 1<sup>st</sup>ed, (New York, Churchill Livingstone, 1990), pp. 203 205.
- DNA India. (July 24, 2014). Nagaland Government open to discussion on lifting liquor ban. Available at http://www.dnaindia.com/india/report-nagand-governmentopen-to-discussion-on-lifting-liguor-ban-in-state-2004999.
- Erkkilä, J., Punkanen, M., Fachne, r J., Ala-Ruona, E., Pontio, I., Tervaniemi, M., Vanhala, M., Gold C. (2011). Individual music therapy for depression: randomized controlled trial. The *British Journal of Psychiatry*. Even Ruud, Music Therapy- History and cultural contexts. Voices: A world forum for Music therapy. [Serial online] 2001. Available from http://www.Voices.No/mainissues/voices (3) Ruud. Html.

Expressindia forum. Alcohol the biggest 'Killer'. Meghalaya. April, 2008.

- GBD, Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet 385 (9963):117-71.DOI:10.1016/SO140-6736(14)61682-2.PMC 4340604.PMID 25530442.
- Gender differences in alcohol use and alcohol dependence or abuse: 2004 0r 2005. *The NSDUH Report*.Accessed 22 June 2012.
- Jupiter information.(2008) Music therapy- Informative and research article on music therapy.pvt.Ltd. http://www.Indianetzone.com/15/concept-music-therapy-htm.

KarinthayalChacko. Whither drug-driven North-east India?. 2009.

- YadollahKhorramabadi, (2014). Impact of music-therapy on reducing anxiety, depression and stress in narcotics addicts.*International Research Journal of Applied and Basic Sciences* (Vol. 8, No. 2, pp.201-205). Available online at www.irjabs.com
- Maratos AS., (2008). Music Therapy for depression.Cochrane Database of systematic Reviews, Art. No. CD004517. doi:10.1002/14651858.CD004517.Pub2. Available from http://www.musictherapy.org.
- Music therapy- Informative and research article on music therapy.2008 Jupiter information pvt.Ltd.http://www.Indianetzone.com/15/ concept-music-therapy-htm.
- Misic, P., D. Arandjelovic, S. Stanojkovic, S. Vladejic, J. Mladenovic. (2010). Music Therapy.European Psychiatry.(Vol. 1, No. 25, 2010, pp. 839). Doi:10.1016/s0924-9338 (10)70838-0.
- Nayak, S., Wheeler, B. L., Shiflett, S.C., Agostinelli, S. (2000). Effect of music therapy on mood and social interaction among individuals with acute

traumatic brain injury and stroke. *Rehabilitation* Psychology, Vol. 45, No. 3, pp. 274 – 283.Doi: 10.1037/0090-5550.45.3.274.

- Hendricks, C., Bret. (2001). A study of the use of music therapy techniques in a group for the treatment of adolescent depression. Available from http://esr.lib.ttu.edu/ dissertation/AA13005267.
- Huron, D., Margulis, E.H. Musical expectancy and thrills. 2010.
- Jupiter information.(2008) Music therapy- Informative and research article on music therapy.pvt.Ltd. http://www.Indianetzone.com/15/concept-music-therapy-htm.
- Lin LC, Lee WT, Wu HC, Tsai CL, Wei RC, Mok HK, Weng CF, Lee MW, Yang RC. (August 2011). Epilepsy Behav. (4):420-4. Doi: 10.1016/j.yebeh.2011.05.015.
- Madeline, M., Chimento, Rachel, R. (2002). The effects of music on perceived levels of stress, 2002, Available from: URL: http:// clearing house missourive eteru. edu / manuscripts/348.php.
- Misic, P.D., Arandjelovic, S., Stanojkovic, S., Vladejic, J., Mladenovic. (2010). Music Therapy. European Psychiatry Vol. 1, No. 25, 2010, pp. 839. Doi:10.1016/s0924-9338 (10)70838-0.
- Nayak, S., Wheeler, B. L., Shiflett, S.C., Agostinelli, S. (2000). Effect of music therapy on mood and social interaction among individuals with acute traumatic brain injury and stroke. *Rehabilitation* Psychology. Vol. 45, No. 3, pp. 274 – 283.Doi: 10.1037/0090-5550.45.3.274.

Nagaland post. *Rise in Crime rate influenced by alcohol: DC*. April 4, 2009.

Pauwels, E.K, Volterrani, D., Mariani, G., Kostkiewics, M., Mozart, music and medicine.Med PrincPract. 2014;23(5):403-12. Doi: 10.1159/000364872. Epub 2014 July 19.

- Perlow Jacob, Continuum Hospice Care, [Online], October 2005, Available from http://www.hospice Care.
- Ross, S., Cidambi, I., Dermatis, H., Weinstein, J., Ziedonis, D., Roth, S., Galanter, M. (2008). Music therapy: a novel motivational approach for dually diagnosed patients. *J Addict Dis.*, vol. 27, No. 1, pp. 41 53.Rukmini S, (2014). Indian's biggest drinkers. Available in http://www.thehindu.com
- Rukmini S, (2014). Indian's biggest drinkers. Available in http://www.thehindu.com
- Sharma Sanchita. *India wants global Treaty to curb alcoholic use*. Hindustan Times. Tuesday, February 9, 2010.
- Sumathy, Sairam. (2008). Music therapy- informative and researched article on music therapy.Jupiter Information pvt.Llt.Available from hhtp??wwwIndianetone.com/15/concept-music-therapy-htm.
- SundarSumathy, Music Therapy Today [online] [February 2005]; Vol VI, 5: 113-5. Available from: http:// www. musictherapyworld.net.

The Telegraph. (February 17, 2012). "Nagaland 'wet' after 23 years of prohibition.

- Tubman Andy. The sound of Recovery: Healing teen Drug and Alcohol Addiction with Music Therapy- An interview with Music therapist by Meghan Vivo. (7).
- Types of Alcoholic Beverages. Available in http://www.alcoholwebindia.in
- Ward, K.L, The effects of music therapy with chemically dependent offenders in a women's prison. (The florida state university, Tallahasee, FL. 1996).
- Winkelman, M., Alternative and traditional medicine approaches for substance abuse programs; a shamanic perspective. Int J Drug Policy 2001; 12:337-51. Available from http://healersearth.com/drum therapy long.htm.

- World Health Organization.(2014). *Global status report on alcohol and health 2014*, pp. 8, 51.ISBN 9789240692763.
- World Health Organization, *Mental Health: New Understanding, New Hope.* The world Health Report 2001. Geneva: World Health Organization, 2000.
- Yanni; Rensin, David (2002). Yanni in Words. Miramax Books.p. 67. ISBN 1-4013-5194-8.
- Zaslaw, Neil, *TheCompleat Mozart: a Guide to the Musical Works*, p. 301 (New York, 1990) ISBN 0-393-02886-0.