

B.Sc. BOTANY
THIRD SEMESTER (SPECIAL REPEAT)
ORGANIC, INORGANIC & PHYSICAL CHEMISTRY-I
BSC-731

(Use separate answer scripts for Objective & Descriptive)

Duration : 3 hrs.

Full Marks : 70

[PART-A: Objective]


Time : 20 min.

Marks : 20

Choose the correct answer from the following:

1X20=20

- The quantum numbers which represent the shape of an orbital is-
 - Principle quantum numbers
 - Magnetic quantum number
 - Azimuthal quantum numbers
 - Spin quantum numbers
- The spectral lines for atomic hydrogen which falls in the visible region of electromagnetic spectrum is-
 - Lyman series
 - Balmer series
 - Paschen series
 - Bracket series
- When an electron jumps from one of its orbit to another orbit, energy is-
 - Emitted only
 - Absorbed only
 - No effect
 - Emitted or absorbed
- The orbits in which electron moves according to Bohr are-
 - Elliptical
 - Cylindrical
 - Spherical
 - Circular
- The position and velocity of a small particle cannot be determined simultaneously with great degree of accuracy. The statement is known as-
 - Pauli's exclusion principle
 - Hund's rule
 - Heisenberg Uncertainty principle
 - De-Broglie hypothesis
- The correct orbital having quantum $n=3, l=1, m_l=+1, m_s=+1/2$ is-
 - 3s
 - 3p
 - 3d
 - None of these
- The hybridization found in PCl_5 is-
 - Sp^3
 - Sp^3d
 - Sp^3d^2
 - Sp^3d^3
- Choose the **incorrect** statement.
 - A high bond order indicates more attraction between electrons
 - Higher bond order means atoms are held together more tightly
 - Molecules exist with bond order zero
 - As bond order increases, bond length decreases
- The increasing order of stability of the following carbocations are:
 - $\begin{matrix} R \\ | \\ R-C^+ \\ | \\ R \end{matrix} < \begin{matrix} H \\ | \\ R-C^+ \\ | \\ R \end{matrix} < \begin{matrix} H \\ | \\ R-C^+ \\ | \\ H \end{matrix} < \begin{matrix} H \\ | \\ H-C^+ \\ | \\ H \end{matrix}$
 - $\begin{matrix} H \\ | \\ R-C^+ \\ | \\ R \end{matrix} < \begin{matrix} R \\ | \\ R-C^+ \\ | \\ R \end{matrix} < \begin{matrix} H \\ | \\ R-C^+ \\ | \\ H \end{matrix} < \begin{matrix} H \\ | \\ H-C^+ \\ | \\ H \end{matrix}$



10. The decreasing order of halogenations of alkanes will be-
- $\text{F}_2 > \text{Cl}_2 > \text{Br}_2 > \text{I}_2$
 - $\text{Cl}_2 > \text{F}_2 > \text{Br}_2 > \text{I}_2$
 - $\text{Cl}_2 > \text{Br}_2 > \text{F}_2 > \text{I}_2$
 - $\text{I}_2 > \text{Br}_2 > \text{Cl}_2 > \text{F}_2$
11. The halogenations of alkane is-
- Addition reaction
 - Elimination reaction
 - Free radical substitution reaction
 - Combustion reaction
12. Reduction of alkyne with sodium in liquid ammonia gives-
- cis-Alkene
 - trans-Alkene
 - Both cis- and trans-alkene
 - Alkane
13. Dehydrohalogenation of 2-bromobutane with alc. KOH gives mainly-
- 1-Butene
 - 2-Butene
 - 2-Methylpropene
 - 2-Butanol
14. Which of the following is correct match?
- Boyle's law $\rightarrow PV = \text{constant}$
 - Charles' law $\rightarrow V \propto T$
 - Ideal gas law $\rightarrow PV = nRT$
 - All of the above
15. Which of the following statement is true for different virial coefficient?
- 1st virial coefficient neglects all molecular collisions
 - 2nd coefficient accounts only for bimolecular collisions
 - Both A & B
 - None of the above
16. Which of the following is true?
- High pressure can liquefy gas above critical temperature
 - Pressure for liquefying gas at critical temperature is critical pressure
 - Volume at critical temperature is critical volume
 - All of the above
17. What is the number of internal degree of freedom for a nonlinear molecule with n atoms?
- $3n-6$
 - $3n$
 - $3n-5$
 - None of the above
18. According to Trouton's rule ratio of molar heat of vaporisation to boiling point (in $\text{J mol}^{-1} \text{K}^{-1}$) is equal to-
- 86
 - 87
 - 88
 - 89
19. Which is true for crystalline solids?
- They have sharp melting point
 - They have long range order
 - They have anisotropic properties
 - All of the above
20. Number of Bravais lattices are:
- 7
 - 14
 - 32
 - 230

(PART-B : Descriptive)

Time : 2 hrs. 40 min.

Marks : 50

[Answer question no.1 & any four (4) from the rest]

1. a. Write down the postulates of kinetic theory of gases. 5+3+2=10
b. What are the three types of velocities? Briefly explain them.
c. Define critical temperature and critical pressure.
2. a. Why the real gases show deviations from ideal behaviour. 3+3+2+2=10
Explain.
b. Define critical temperature, critical pressure and critical volume of a gas.
c. How the gases can be liquefied. Explain.
d. What is degree of freedom for a gaseous molecule?
3. a. Write the expression of radius and energy of hydrogen atom for 2+2+3+3=10
the first stationary state or Bohr orbit.
b. Write the electronic configuration of Cu and Cr.
c. Define electrophiles and nucleophiles with suitable example.
d. What are the three laws of crystallography? Briefly explain.
4. a. Write the postulates of Bohrs theory of hydrogen atom. Also 5+2+3=10
mention one limitation of Bohrs theory of hydrogen atom.
b. Explain why Bohrs concept of atomic radius goes against
Heisenberg Uncertainty principle?
c. An electron is confined to a region of width 5×10^{-11} m which is its
uncertainty in position (Δx). Estimate the minimum Uncertainty
in momentum.
5. a. What do you mean by hybridization? Explain about the structure 4+3+3=10
of BF_3 on the basis of hybridization.
b. What is inductive effect and what are the different types? Explain
with examples.
c. Define bond order. Determine the bond order of NO_3^- .
6. a. Write the postulates of Bohrs theory of hydrogen atom. Also 5+2+3=10
mention one limitation of Bohrs theory of hydrogen atom.
b. Explain why Bohrs concept of atomic radius goes against
Heisenberg Uncertainty principle?
c. An electron is confined to a region of width 5×10^{-11} m which is its
uncertainty in position (Δx). Estimate the minimum Uncertainty in
momentum.
7. a. What is de Broglie dual nature of matter? Also write the 3+2+5=10
mathematical expression of de Broglie equation.
b. Why does the negative electronic energy (E_n) for hydrogen atom
mean?
c. Write short notes on- a) Pauli's exclusion principle b) Hund's
rule of maximum multiplicity.

8. a. What is Wurtz reaction? Explain with suitable reaction involved. 3+4+3=10
What is the limitation of the reaction?
- b. Write any two methods of preparation of alkenes.
- c. How will you convert an alkyne to a cis- and trans-alkene?
Explain with suitable chemical reaction.

= = *** = =