REV-01 BPH/01/05

B. PHARM. FOURTH SEMESTER MEDICINAL CHEMISTRY-I

BP402T [REPEAT] [USE OMR SHEET FOR OBJECTIVE PART]

Duration: 3 hrs.

[PART-A: Objective]

Time: 30 min.

Choose the correct answer from the following:

- Acetylcholine is biosynthesised from
 - a. L-cysteine

b. L-Codeine d. L-Cholic acid

- c. L-Serine
- 2. Anticholinergic useful as spasmolytic is
 - a. Pyridostigmine c. Tropicamide

- b. Dicyclomine d. Glycopyrrolate
- Which of the following are muscarine effect except?
 - a. Decrease Heart rate

b. Bronchoconstriction

c. Dryness of mouth

- d. Intestinal cramping
- Acetylation of morphine yields?
 - a. Codeine

b. Ethyl morphine

c. Heroin

- d. Hydromorphone
- Which of the following is used in the diagnosis of myasthenia gravis
 - a. Edrophonium

b. Pilocarpine

c. Pyridostigmine

- d. Physostigmine
- Which of the following is not a synthetic cholinergic blocking agent?
 - a. Tropicamide

b. Atropine sulphate

c. Clinidium bromide

- d. Cyclopentolate
- 7. Drug that can cross Blood Brain Barrier is in nature?
 - a. Lipophilic

b. Hydrophilic

c. Amphoteric

- d. All of the Above.
- Phase-II of drug metabolism is also known as
 - a. Synthetic Phase

- b. Non-synthetic phase
- c. Conjugation Phse

- d. NOTA
- Enzyme responsible for catabolism of Catecholamines are-? a. COMT
 - b. MAO

c. Both

- d. NOTA .
- 10. A cholinesterase reactivator which is used as an antidote for Parathione?
 - a. Pyridostigmine

b. Parlidoxime chloride

c. Neostigmine

- d. Ecothiophate
- [1]

2023/06

SET

Full Marks: 75

Marks: 20

 $1 \times 20 = 20$

		* * * * * * * * * * * * * * * * * * *	
11.	Which of the following drugs is classified	l as narcotic antagonist agent?	
	a. Morphine	b. Heroin	
	c. Pilocarpine	d. Nalorphine HCl	
12.	Which of the following receptor is not an opioids receptor?		
	a. Muscarinic	b. Sigma	
	c. Kappa	d. Mu	
13.	Which of the following is ultra short acting barbiturates?		
	a. Halothane	b. Methohexital sodium	
	c. Ketamine HCl	d. Cyclopentolate	
14.	IND stands for-	•	
	a. Indian New Drugs	b. International New Drugs	
	c. Investigational New Drugs	d. Intentional New Drugs	
15.	Precursor for the synthesis of Catecholam		
20.	a. Tyrosine		
	c. Phenylephrine	b. Phenylamined. Phenylalanine	
16.			
10.	First antibiotics was discovered in the year a. 1982		
	c. 1945	b. 1920	
		d. 1928	
17.	Natural products or derivatives or synthe drug discovery is known as-?	tic substance with good binding ability in	
	a. Hit compound	b. Lead compound	
	c. NDA	d. IND	
18.	Which of the following drugs is not an alpha-adrenergic blocker-?		
	a. Bisoprolol	b. Prazosin	
	c. Tolazoline	d. Phentolamine	
19.	Final astabalisad to CE : 1		
19.	Final catabolised products of Epinephrine		
	a. 4-hydroxy-3-methyl	b. 3-methoxy-4-hydroxy mandellic acid	
	phenylglycoaldehyde c. 3-phenylalanine	d 4 mathed to 1	
		d. 4-methyl phenyl amine	
20.	Which type of hydrogen bonding is gener point?	ally increase solubility, melting and boiling	
	a. Intermolecular hydrogen bonding	b. Intra molecular hydrogen bonding	
	c. Both a & b	d. NOTA	

PART-B: Descriptive

Time: 2 hrs. 30 min. Marks: 35 [Answer any seven (7) questions] Sedative and Hypnotics? Write 2+3=5 Define the MOA Benzodiazepines. Write a note on SAR of morphine analogue. 5 3. Define general anesthetics and write the synthesis of halothane and 1+4=5 its uses. 4. Write a note on SAR of phenothiazeines. 5 5. Write the structure, MOA and medicinal uses of Acetylcholine, 2.5+2.5 Neostigmine. 6. Write a note on biosynthesis and catabolism's of catecholamines. 3+2=5 Explain the factors effecting the drug metabolisms including 5 stereochemical aspects. 8. Write a note on phases of drug metabolisms. 5 9. Write a note on SAR of benzodiazepines. 5

(PART-C: Long type questions)

[Answer any two (2) questions]

1.	Draw the structure and medicinal uses of phenobarbitone, methohexital sodium, chlorpromazine hydrochloride, barbital.	2+2+2+2+ 2=10
2.	Explain briefly the physiochemical properties of drugs in relation of their biological action.	10
3.	Write the structure, MOA and uses of any four beta blockers.	2.5+2.5+ 2.5+2.5 =10